



Safety Data Sheet dated 16/7/2015, version 1

Printing date:5/5/2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: ESA-ONE PAINT 1A10
MSDS code: F008530
Chemical description: Blend based on carboxymethyl cellulose sodium salt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Industrial uses.

1.3. Details of the supplier of the safety data sheet

Supplier:
LAMBERTI S.p.A. - Via Piave 18 - 21041 Albizzate (VA)
Tel.: +39 0331 715 111 - Fax.: +39 0331 775 577 - e-mail: hse@lamberti.com

Competent person responsible for the safety data sheet:

hse@lamberti.com

1.4. Emergency telephone number

LAMBERTI S.p.A. - Tel. : +39 0331 715 111 - 24h

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances


N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 5% - < 7% benzene, mono-C10-13-alkyl-derives., distillation residues

REACH No.: 01-2119485843-26-XXXX, Index number: N.A., CAS: 84961-70-6, EC: 284-660-7

 3.10/1 Asp. Tox. 1 H304

Lamberti SpA

Reg. office: Via Piave, 18 - 21041 Albizzate (VA) - Italy
Administrative & commercial offices: Via Marsala, 38/d
21013 Gallarate (VA) - Italy - Phone +39 0331 715 111
Fax +39 0331 775 577 - www.lamberti.com

C.F. 04453840151 - P. IVA/VAT IT 01425250121
Cap. Soc. € 29.812.545 i.v.
r.e.a. VA n. 182542 - n. meccan. VA 007495
Registro imprese Varese 04453840151





SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. Seek immediately medical advice.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

Not known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

Not known.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Lamberti SpA

Reg. office: Via Piave, 18 - 21041 Albizzate (VA) - Italy
Administrative & commercial offices: Via Marsala, 38/d
21013 Gallarate (VA) - Italy - Phone +39 0331 715 111
Fax +39 0331 775 577 - www.lamberti.com

C.F. 04453840151 - P. IVA/VAT IT 01425250121
Cap. Soc. € 29.812.545 i.v.
r.e.a. VA n. 182542 - n. meccan. VA 007495
Registro imprese Varese 04453840151





Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Avoid accumulating electrostatic charge.

Keep away from food, drink and feed.

Incompatible materials:

None.

Instructions as regards storage premises:

Adequate ventilation in working area.

Packaging suggested:

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

benzene, mono-C10-13-alkyl-derives., distillation residues

Worker Industry: 96 mg/kg - Worker Professional: 96 mg/kg - Frequency: Long Term, systemic effects Human Dermal

PNEC Exposure Limit Values

benzene, mono-C10-13-alkyl-derives., distillation residues

Fresh Water 0.000075 mg/l

Marine water 0.000075 mg/l

Intermittent release 0.001 mg/l

STP 2 mg/l

Freshwater sediments 1761 mg/kg

Marine water sediments 1761 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles. (ref. EN 166, EN 140, EN175).

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. (ref. EN 340).

Protection for hands:

Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized. In case of prolonged contact, the use of protective gloves is recommended, providing comprehensive protection to chemicals (refer to EN 374).

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged, e.g. (ref. EN 136, EN 140, EN 141, EN 143, EN 149, EN 405).

Thermal Hazards:

None

Environmental exposure controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour: Pellets

Odour: No

Odour threshold: N.D.

pH: 6.5 - 9.5@20°C

Melting point / freezing point: N.D.

Lamberti SpA

Reg. office: Via Piave, 18 - 21041 Albizzate (VA) - Italy
Administrative & commercial offices: Via Marsala, 38/d
21013 Gallarate (VA) - Italy - Phone +39 0331 715 111
Fax +39 0331 775 577 - www.lamberti.com

C.F. 04453840151 - P. IVA/VAT IT 01425250121
Cap. Soc. € 29.812.545 i.v.
r.e.a. VA n. 182542 - n. meccan. VA 007495
Registro imprese Varese 04453840151





Initial boiling point and boiling range: N.D.
Solid/gas flammability: N.D.
Upper/lower flammability or explosive limits: N.D.
Vapour density: N.D.
Flash point: N.D.
Evaporation rate: N.D.
Vapour pressure: N.D.
Relative density: 1.2 kg/l
Solubility in water: Soluble
Solubility in oil: N.D.
Partition coefficient (n-octanol/water): N.D.
Auto-ignition temperature: N.D.
Decomposition temperature: N.D.
Viscosity: N.D.
Explosive properties: N.D.
Oxidizing properties: N.D.

9.2. Other information

Miscibility: N.D.
Fat Solubility: N.D.
Conductivity: N.D.
Substance Groups relevant properties N.D.

SECTION 10: Stability and reactivity

10.1. Reactivity

As organic product, usual precautions to avoid explosion of dusts are recommended.
Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

Stable under normal conditions

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

Not known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

a) acute toxicity:

LD50 Oral Rat > 2000 mg/kg Calculated data.

Toxicological information of the main substances found in the mixture:

benzene, mono-C10-13-alkyl-derives., distillation residues

a) acute toxicity:

OECD 401 Oral Rat LD50 > 2000 mg/kg Literature data.

Toxicity Skin Rat LD50 > 3600 mg/kg - Duration: 24h Literature data. - Notes: Related to male.

Toxicity Skin Rat LD50 > 4300 mg/kg - Duration: 24h Literature data. - Notes: Related to female.

b) skin corrosion/irritation:

OECD 404 Skin Rabbit : Not irritant. - Duration: 4h Literature data.

c) serious eye damage/irritation:

OECD 405 Eye Rabbit : Not irritant. - Duration: 24h Literature data.

d) respiratory or skin sensitisation:

Lamberti SpA

Reg. office: Via Piave, 18 - 21041 Albizzate (VA) - Italy
Administrative & commercial offices: Via Marsala, 38/d
21013 Gallarate (VA) - Italy - Phone +39 0331 715 111
Fax +39 0331 775 577 - www.lamberti.com

C.F. 04453840151 - P. IVA/VAT IT 01425250121
Cap. Soc. € 29.812.545 i.v.
r.e.a. VA n. 182542 - n. meccan. VA 007495
Registro imprese Varese 04453840151





- OECD 406 Skin Guinea pig : Not sensitizing. Literature data.
- e) germ cell mutagenicity:
Ames Test Salmonella typhimurium Negative Literature data.
- g) reproductive toxicity:
OECD 422 Oral Rat NOAEL > 1000 mg/kg By analogy to product with similar composition.

Other : N.D.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.D.:

- a) acute toxicity;
b) skin corrosion/irritation;
c) serious eye damage/irritation;
d) respiratory or skin sensitisation;
e) germ cell mutagenicity;
f) carcinogenicity;
g) reproductive toxicity;
h) STOT-single exposure;
i) STOT-repeated exposure;
j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Ecological information of the mixture:

- a) Aquatic acute toxicity:
Notes: LC50 > 100 mg/l - aquatic species (according to the criteria of the CLP Regulation).

Ecological information of the main substances found in the mixture:

benzene, mono-C10-13-alkyl-deriv., distillation residues

- a) Aquatic acute toxicity:
OECD 204 Fish LC50 > 0.01 mg/l - Duration h: 336 - Notes: By analogy to product with similar composition.
OECD 202 Daphnia magna EC50 > 1.4 mg/l - Duration h: 48 - Notes: Literature data.
OECD 201 Algae EC50 > 2.08 mg/l - Duration h: 72 - Notes: Literature data.
- b) Aquatic chronic toxicity:
Daphnia magna EC50 = 0.012 mg/l - Duration h: 504 - Notes: By analogy to product with similar composition.

12.2. Persistence and degradability

Ecological information of the mixture:

N.D.

Ecological information of the main substances found in the mixture:

benzene, mono-C10-13-alkyl-deriv., distillation residues

Biodegradability: Non-readily biodegradable - Test: BODIS test - Duration: 28 days. - %: 28% - Notes: Literature data.

12.3. Bioaccumulative potential

Ecological information of the mixture:

N.D.

Ecological information of the main substances found in the mixture:

benzene, mono-C10-13-alkyl-deriv., distillation residues

Bioaccumulation: Not bioaccumulative - Test: BCF - Bioconcentration factor 3.162 - Notes: Calculated data (in silico).

12.4. Mobility in soil

Ecological information of the mixture:

N.D.

Ecological information of the main substances found in the mixture:

benzene, mono-C10-13-alkyl-deriv., distillation residues

Mobility in soil: Static - Test: Koc: 270200000 - Notes: Calculated data (in silico).

Lamberti SpA

Reg. office: Via Piave, 18 - 21041 Albizzate (VA) - Italy
Administrative & commercial offices: Via Marsala, 38/d
21013 Gallarate (VA) - Italy - Phone +39 0331 715 111
Fax +39 0331 775 577 - www.lamberti.com

C.F. 04453840151 - P. IVA/VAT IT 01425250121
Cap. Soc. € 29.812.545 i.v.
r.e.a. VA n. 182542 - n. meccan. VA 007495
Registro imprese Varese 04453840151





- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects
None
Use according to criteria of good industrial practice, avoiding product dispersion in the environment.

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
If possible recover the product in accordance with local regulation.

SECTION 14: Transport information

- 14.1. UN number
N.A.
- 14.2. UN proper shipping name
Proper Shipping Name: N.A.
- 14.3. Transport hazard class(es)
Air (ICAO/IATA): N.A.
Sea (IMO/IMDG): N.A.
- 14.4. Packing group
ADR-Packing Group: N.A.
- 14.5. Environmental hazards
Environmental Pollutant: No
- 14.6. Special precautions for user
N.A.
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
N.D.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 2000/39/EC (Occupational exposure limit values); Dir. 2006/8/CE. Regulation (CE) n. 1907/2006 (REACH).

For non-EU Countries, the Material Safety Data Sheet it is prepared following the main principles of Globally Harmonized System of Classification and Labelling of Chemicals (GHS) which are adopted worldwide.

- 15.2. Chemical safety assessment
No

SECTION 16: Other information

N.A. = Not Applicable
N.D. = No Data available

Full text of phrases referred to in Section 3:

H304 May be fatal if swallowed and enters airways.

This safety data sheet has been completely updated in compliance to Regulation 453/2010.

This document was prepared by a competent person who has received appropriate training.
Main bibliographic sources:

Lamberti SpA

Reg. office: Via Piave, 18 - 21041 Albizzate (VA) - Italy
Administrative & commercial offices: Via Marsala, 38/d
21013 Gallarate (VA) - Italy - Phone +39 0331 715 111
Fax +39 0331 775 577 - www.lamberti.com

C.F. 04453840151 - P. IVA/VAT IT 01425250121
Cap. Soc. € 29.812.545 i.v.
r.e.a. VA n. 182542 - n. meccan. VA 007495
Registro imprese Varese 04453840151





TOXNET - Databases on toxicology, hazardous chemicals, environmental health, and toxic releases;

NIOSH - Registry of toxic effects of chemical substances (1983) - Occupational Health Guidelines for Chemical Hazards (1995) - Pocket Guide to Chemical Hazards (on line)

European Chemical Bureau - ESIS: European chemical Substances Information System;

CESIO - Classification and labelling of anionic, nonionic surfactants (January 2000).

M.Sittig-Handbook of toxic and Hazardous Chemicals and Carcinogens- III Ed.

E.R. Plunkett - Handbook of Industrial Toxicology - III Ed. 1991.

Samson Chem. Pub.-Chemical Safety Sheet working safely with hazardous chemical.

SAX'S Dangerous Properties of Industrial Materials. VIII (1993)

ACGIH "2013 TLVs and BEIs".

ILV "1998/24/EC Directive and subsequent addition".

The product must be stored, handled and used according to criteria of good industrial practice and to regulations in force. This leaflet is offered for your consideration and guidance only. This leaflet complements the Technical Data Sheet but does not replace it. The information herein contained is given to the best of our knowledge at the time of issue.

Due to the several ways in which the product may be used and the possible interaction with variables not depending on or unknown to the supplier, we also cannot accept any liability whatsoever for any loss or damage however arising from the handling and use of our products.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
REACH:	Registration Evaluation and Authorization of Chemicals.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
SVHC:	Candidate List of Substances of Very High Concerns.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.

Lamberti SpA

Reg. office: Via Piave, 18 - 21041 Albizzate (VA) - Italy
Administrative & commercial offices: Via Marsala, 38/d
21013 Gallarate (VA) - Italy - Phone +39 0331 715 111
Fax +39 0331 775 577 - www.lamberti.com

C.F. 04453840151 - P. IVA/VAT IT 01425250121
Cap. Soc. € 29.812.545 i.v.
r.e.a. VA n. 182542 - n. meccan. VA 007495
Registro imprese Varese 04453840151





lamberti
chemical specialties

Safety data sheet
ESA-ONE PAINT 1A10

Lamberti SpA

Reg. office: Via Piave, 18 - 21041 Albizzate (VA) - Italy
Administrative & commercial offices: Via Marsala, 38/d
21013 Gallarate (VA) - Italy - Phone +39 0331 715 111
Fax +39 0331 775 577 - www.lamberti.com

C.F. 04453840151 - P. IVA/VAT IT 01425250121
Cap. Soc. € 29.812.545 i.v.
r.e.a. VA n. 182542 - n. meccan. VA 007495
Registro imprese Varese 04453840151

